

ELENCO DELLE PUBBLICAZIONI

CARLO SEMPI

- [1] **C. Sempi**, Two Uniqueness Problems Connected with Lewis' Principle *Riv. Mat. Univ Parma* (3) **2**, 241–246 (1973).
- [2] **C. Sempi**, “Entropy in Information Theory and Statistical Mechanics. Related Methods”, Ph.D. Dissertation, Dept. of Applied Mathematics, University of Waterloo, Waterloo, Ontario, Canada, 1974.
- [3] **C. Sempi**, The Entropies with Error, *Rend. Mat.* (6) **9**, 1–15 (1976).
- [4] **B. Forte, C. Sempi**, Maximizing Conditional Entropies: a Derivation of Quantal Statistics, *Rend. Mat.* (6) **9**, 551–566 (1976).
- [5] **C. Sempi**, On the Limit of the Entropies with Error, *Rend. Mat.* (6) **11**, 131–140 (1978).
- [6] **C. Sempi**, The Branching Property for Arbitrary Probability Distributions, *Aequationes Math.* **15**, 277 (1977).
- [7] **C. Sempi**, Sopra alcune proprietà dell'entropia dipendente dall'errore *Ann. Univ. Ferrara*, Sez. VII **23**, 25–28 (1978).
- [8] **B. Forte, C. Sempi**, Pruning and Measures of Uncertainty *R.A.I.R.O. Inform. Théor.* **12**, 157–168 (1978).
- [9] **C. Sempi**, A Counterexample about Lewis' Principle, *Rend. Mat.* (6) **12**, 457–463 (1979).
- [10] **C. Sempi**, L'opération d'élagage, *Ann. Univ. Ferrara*, Sez. VII **25**, 63–68 (1979).
- [11] **C. Sempi**, Entropies on Independent Occupation Spaces, *Note Mat.* **1**, 43–52 (1981).
- [12] **C. Sempi**, Why Shannon's Entropy: a Further Reason, *An. Stiint. Univ. “Al. I. Cuza” Iasi Sect. Ia Mat. (N.S.)* **27**, 403–406 (1981).
- [13] **C. Sempi**, On the Normal Distribution of Order r , *Rend. Sem. Mat. Univ. Politecn. Torino* **38**, 69–72 (1980).
- [14] **C. Sempi**, On the Space of Distribution Functions, *Riv. Mat. Univ. Parma* (4) **8**, 243–250 (1982).
- [15] **C. Sempi**, Metriche per le Funzioni di Ripartizione, *Quaderni del Dipartimento di Matematica dell'Università di Lecce*, **Q.3** (1983).
- [16] **C. Sempi**, Product Topologies on the Space of Distribution Functions, *Riv. Mat. Univ. Parma* (4) **9**, 425–432 (1983).
- [17] **C. Sempi**, The Space of Distribution Functions is Separable, *Stochastica (Barcelona)* **7**, 197–200 (1983).

- [18] **C. Sempi**, Information Theoretic Interpretation of Forte's Entropy for the Grand Canonical Ensemble, *Ann. Univ. Ferrara, Sez. VII* **29**, 81–86 (1983); addendum **30**, 87–88 (1984).
- [19] **C. Sempi**, The Boltzmann Distribution through a Maximum Entropy Principle, *Rend. Sem. Mat. Univ. Politecn. Torino* **42**, 51–58 (1984).
- [20] **C. Sempi**, A Metric for Weak Convergence of Multiple Distribution Functions, *Note Mat.* **4**, 79–85 (1984).
- [21] **C. Sempi**, On Weakly Mixing Transformation on Metric Spaces, *Rad. Mat.* **1**, 3–7 (1985).
- [22] **C. Sempi**, Orlicz Metrics Derive from a Single Probabilistic Metric, *Stochastica (Barcelona)* **9**, 181–184 (1985).
- [23] **C. Sempi**, A Proposito del Principio di Massima Entropia, *Statistica (Bologna)* **46**, 59–66 (1986).
- [24] **C. Sempi**, Le Speranze Condizionate e le Loro Caratterizzazioni, *Quaderni del Dipartimento di Matematica dell'Università di Lecce* **Q.4** (1986).
- [25] **C. Sempi**, Orlicz Metrics for Weak Convergence of Distribution Functions, *Riv. Mat. Univ. Parma* (4) **12** 289–292 (1986).
- [26] **C. Sempi**, A New Metric for Weak Convergence, *Rad. Mat.* **3**, 223–228 (1987).
- [27] **S. Holzer, C. Sempi**, A Remark on Metrics for Finitely Additive Distribution Functions, *Stochastica (Barcelona)* **10**, 191–194 (1986).
- [28] **C. Sempi**, Vague Convergence in the Truncated Moment Problem, *Metron* **49**, 431–434 (1991).
- [29] **C. Sempi**, Variations on a Theme by Scheffé, *Rend. Ist. Mat. Univ. Trieste* **21**, 219–223 (1992).
- [30] **C. Sempi**, Hausdorff Distance and the Completion of Probabilistic Metric Spaces, *Boll. Un. Mat. Ital.* (7) **6–B**, 317–327 (1992).
- [31] **G. Pistone, C. Sempi**, An Infinite-Dimensional Geometric Structure on the Space of All Probability Measures Equivalent to a Given One, *Ann. Statist.* **23**, 1543–1561 (1995).
- [32] **R.B. Nelsen, J.J. Quesada Molina, B. Schweizer, C. Sempi**, Derivability of Some Operations on Distribution Functions, in *Distribution Functions with Fixed Marginals and Related Topics*, L. Rüschendorf, B. Schweizer, M.D. Taylor Eds., Institute of Mathematical Statistics, Hayward, CA, IMS Lecture Notes – Monograph Series Vol. 28, pp. 233–243 (1996).
- [33] **B. Lafuerza Guillén, J.A. Rodríguez Lallena, C. Sempi**, Familias de Cópulas Trivariantes, in *Actos del III Congreso de Matemática Aplicada y XIII Congreso de Ecuaciones Diferenciales y Aplicaciones*, Madrid, 1993, A. Casal, L. Gavete, C. Conde, J. Herranz, Eds., pp. 809–814 (1995).
- [34] **T. Kubiak, M. Mastyło, C. Sempi**, A Symmetric Space Metric for Weak Convergence of Distribution Functions, *Bull. Un. Mat. Ital.* (7) **9–A**, 79–82 (1995).

- [35] **B. Lafuerza Guillén, J.A. Rodríguez Lallena, C. Sempi**, Completion of Probabilistic Normed Spaces *Internat. J. Math. Math. Sci.* **18**, 649–652 (1995).
- [36] **E. Pascali, C. Sempi**, Two Lévy–type metrics for Distribution Functions, *Ric. Mat.* **46**, 49–60 (1997).
- [37] **C. Alsina, B. Schweizer, C. Sempi, A. Sklar**, On the Definition of a Probabilistic Inner Product Space, *Rend. Mat.* (7) **17**, 115–127 (1997).
- [38] **E. Pascali, C. Sempi**, Joint Entropy and Gaussian Functions, *Rend. Ist. Mat. Univ. Trieste* **29**, 45–54 (1997).
- [39] **B. Lafuerza Guillén, J.A. Rodríguez Lallena, C. Sempi**, Some Classes of Probabilistic Normed Spaces, *Rend Mat.* (7) **17**, 237–252 (1997).
- [40] **B. Lafuerza Guillén, J.A. Rodríguez Lallena, C. Sempi**, A Study of Boundedness in Probabilistic Normed Spaces, *J. Math. Anal. Appl.* **232**, 183–196 (1999).
- [41] **B. Lafuerza Guillén, J.A. Rodríguez Lallena, C. Sempi**, Probabilistic Norms for Linear Operators, *J. Math. Anal. Appl.* **220**, 462–476 (1998).
- [42] **G. Metafune, D. Pallara, C. Sempi**, Euler’s convergence: probabilistic considerations, *Math. Magazine* **72**, 314–316 (1999).
- [43] **C. Genest, J.J. Quesada Molina, J.A. Rodríguez Lallena, C. Sempi**, A characterization of quasi–copulas, *J. Multivariate Anal.* **69**, 193–205 (1999).
- [44] **C. Sempi**, Quasi copulæ, *Revista de Estadística* **2**, 369–370 (2001).
- [45] **C. Sempi**, Conditional expectations and idempotent copulæ, in *Distributions with given marginals and Statistical Modelling*, C.M. Cuadras, J. Fortiana, J.A. Rodríguez Lallena, Eds., Kluwer, Dordrecht, (2003) pp. 223–228.
- [46] **B. Lafuerza Guillén, C. Sempi**, Probabilistic norms and convergence of random variables, *J. Math. Anal. Appl.* **280**, 9–16 (2003). doi: 10.1016/S0022-247X(02)00577-2
- [47] **C. Sempi**, Probabilistic metric spaces, in *Encyclopedia of General Topology*, K.P. Hart, J. Nagata, J.E. Vaughn, Eds. Kluwer, Dordrecht (2004).
- [48] **C. Sempi**, Convergence of copulas: critical remarks, *Rad. Mat.* **12**, 1–8 (2004).
- [49] **C. Sempi**, Copulæ and Their Uses, in *Mathematical and Statistical Methods in Reliability*, K. Doksum, B. Lindquist, Eds., World Scientific, Singapore, 2003, pp. 73–86.
- [50] **A. Albanese, C. Sempi**, Countably generated idempotent copulæ, in *Soft methodology and random information systems*, M. López–Díaz, M.Á. Gil, P. Grzegorzewski, O. Hryniewicz, J. Lawry, Eds., Springer, Berlin – Heidelberg, 2004, pp. 197–204.
- [51] **F. Durante, C. Sempi**, Copulæ and Schur–concavity, *Inter. J. Math.* **3**, 893–905 (2003).

- [52] **F. Durante, C. Sempi**, Composition of copulas and quasi-copulas, in *Soft methodology and random information systems*, M. López-Díaz, M.Á. Gil, P. Grzegorzewski, O. Hryniewicz, J. Lawry, Eds., Springer, Berlin – Heidelberg, 2004, pp. 189–196.
- [53] **C. Sempi**, *Introduzione alla teoria ergodica*, Quaderni del Dipartimento di Matematica “Ennio De Giorgi”, Università di Lecce, Quaderno 2 (2005).
- [54] **F. Durante, C. Sempi**, Semicopulae, *Kybernetika* **41**, 315–328 (2005).
- [55] **F. Durante, C. Sempi**, Copula and semicopula transforms, *Int. J. Math. Math. Sci.* **4:2005**, 645–655.
- [56] **F. Durante, C. Sempi**, On the characterization of a class of binary operations on bivariate distribution functions, *Publicationes Math. Debrecen* **69**, 47–63 (2006).
- [57] **J.J. Quesada Molina, C. Sempi**, Discrete quasi-copulae, *Insurance: Math. and Econom.* **37**, 27–41 (2005) doi: 10.1016/j.insmatheco.2005.01.007..
- [58] **F. Durante, R. Mesiar, C. Sempi**, Copulas with given diagonal sections: new results, in *Proceedings of the Joint 4th Conference of the European Society for Fuzzy Logic and Technology and the 11th Rencontres Francophones sur la Logique Floue et ses Applications, Barcelona, Spain, September 7-9, 2005. Universidad Polytechnica de Catalunya 2005, ISBN 84-7653-872-3* pp. 931–936 (2005).
- [59] **F. Durante, R. Mesiar, C. Sempi**, On a family of copulas constructed from the diagonal section, *Soft Computing* **10**, 490–494 (2006) doi: 10.1007/s00500-005-0523-7.
- [60] **A. Kolesárová, R. Mesiar, J. Mordelová, C. Sempi**, Discrete copulas, *IEEE Trans. Fuzzy Syst.* **14**, 698–705 (2006).
- [61] **C. Sempi**, A short and partial history of probabilistic normed spaces, *Mediterr. J. Math.*, **3**, 283–300 (2006); doi: 10.1007/s00009-006-0078-6.
- [62] **F. Durante, J.J. Quesada Molina, C. Sempi**, A generalization of the Archimedean class of bivariate copulas, *Ann. Inst. Statist. Math.*, **59**, 487–498 (2007). doi:10.1007/s10463-006-0061-9
- [63] **F. Durante, J.J. Quesada Molina, C. Sempi**, Semicopulas: characterizations and applicability, *Kybernetika*, **42**, 287–302 (2006).
- [64] **F. Durante, R. Mesiar, P.L. Papini, C. Sempi**, 2-Increasing binary aggregation operators, *Inf. Sci.* **177**, 111–129 (2007). doi:10.1016/j.ins.2006.04.006
- [65] **F. Durante, E.P. Klement, R. Mesiar, C. Sempi**, Conjunctors and their residual implicators: characterizations and construction methods, *Mediterr. J. Math.* **4**, 343–356 (2007). doi: 10.1007/s00009-007-0122-1.
- [66] **F. Durante, A. Kolesárová, R. Mesiar, C. Sempi**, Copulas with given values on a horizontal and a vertical section, *Kybernetika* **43**, 209–220 (2007).
- [67] **F. Durante, A. Kolesárová, R. Mesiar, C. Sempi**, Copulas with given diagonal sections: novel constructions and applications, *Internat. J. Uncertain. Fuzziness Knowledge-Based Systems* **15**, 397–410 (2007).

- [68] **E. Alvonì, F. Durante, P.L. Papini, C. Sempi**, Different types of convexity and concavity for copulas, in: *New Dimensions in Fuzzy Logic and related Technologies – Proceedings of the 5th EUSFLAT Conference* (M. Štěpnička, V. Novák, U. Bodenhofer, Eds.), vol. I, University of Ostrava, 2007, pp. 185–189.
- [69] **E.P. Klement, A. Kolesárová, R. Mesiar, C. Sempi**, Copulas constructed from horizontal sections, *Communications in Statistics — Theory and Methods* **36**, 2901–2911 (2007). doi:10.1080/03610920701386976
- [70] **J.J. Quesada–Molina, S. Saminger–Platz, C. Sempi**, Quasi–copulas with a given sub–diagonal section, *Nonlinear Anal.* **69**, 4654–4673 (2008). doi:10.1016/j.na.2007.1.021
- [71] **A. Kolesárová, R. Mesiar, C. Sempi**, Measure–preserving transformations, copulae and compatibility, *Mediterr. J. Math.* **5**, 325–339 (2008). DOI 10.1007/s00009-008-0153-2
- [72] **F. Durante, A. Kolesárová, R. Mesiar, C. Sempi**, Semilinear copulas, *Fuzzy Sets Systems* **159**, 63–76 (2008).
- [73] **S. Saminger–Platz, C. Sempi**, A primer on triangle functions I, *Aequationes Math.* **76**, 201–240 (2008). DOI 10.1007/s00010-008-2936-8
- [74] **F. Durante, E.P. Klement, C. Sempi, M. Úbeda Flores**, Measures of non–exchangeability for bivariate random vectors, *Statist. Papers* **51**, 687–699 (2010). DOI 10.1007/s00362-008-0153-0
- [75] **F. Durante, P. Sarkoci, C. Sempi**, Shuffles of copulas, *J. Math. Anal. Appl.* **352**, 914–921 (2009).
- [76] **B. Lafuerza Guillén, C. Sempi, G. Zhang**, Countable products of probabilistic normed spaces, *Nonlinear Anal.* **71**, 4405–4414 (2009).
- [77] **B. Lafuerza Guillén, J.A. Rodríguez Lallena, C. Sempi**, Normability of probabilistic normed spaces, *Note Mat.* **29**, 99–111 (2009). DOI: 10.1285/i15900932v29n1p99
- [78] **R. Mesiar, C. Sempi**, Ordinal sums, *Aequationes Math.*, **79**, 39–52 (2010). DOI: 10.1007/s00010-010-0013-6
- [79] **C. Sempi**, Copulae: some mathematical aspects, *Appl. Stochastic Models Bus. Ind.* **27**, 37–50 (2011). DOI: 10.1002/asmb.835.
- [80] **F. Durante, C. Sempi**, Copula theory: an introduction, in P. Jaworski, F. Durante, W. Härdle, T. Rychlik, Eds., *Copula theory and its applications*, Lecture Notes in Statistics–Proceeding, vol 198, DOI 10.1007/978-3-642-12464-5. Springer, Berlin, 2010, pp. 1–31.
- [81] **B. Lafuerza Guillén, C. Sempi, G. Zhang, M. Zhang** A study of boundedness in probabilistic normed spaces, *Nonlinear Anal.* **73**, 1127–1135 (2010). doi: 10.1016/j.na.2009.12.037
- [82] **C. Sempi**, Copulas, in M. Lovric (ed.), *International Encyclopedia of Statistical Science*, Vol. 1, Springer, Berlin–Heidelberg, 2011, pp. 303–305. https://doi.org/10.1007/978-3-642-04898-2_190
- [83] **S. Saminger–Platz, C. Sempi**, A primer on triangle functions II, *Aequationes Math.* **80**, 239–268 (2010) DOI 10.1007/s100010-010-0038-x

- [84] **C. Sempi**, Coupled Brownian motion, in C. Borgelt, G. González-Rodríguez, W. Trutschnig, M. A. Lubiano, M. Á. Gil, P. Grzegorzewski, O. Hryniewicz (Eds.), *Combining Soft Computing and Statistical Methods in data Analysis*, Springer, DOI 10.1007/978-3-642-14746-3. Berlin–Heidelberg, 2010, pp. 569–574.
- [85] **F. Durante, J. Fernández–Sánchez, C. Sempi**, Sklar’s theorem obtained via regularization techniques, *Nonlinear Anal.* **75**, 769–774 (2012)
doi:10.1016/j.na.2011.09.006
- [86] **F. Durante, J. Fernández–Sánchez, C. Sempi**, A note on the notion of singular copula, *Fuzzy Sets and Systems* **211**, 120–122 (2013)
doi:10.1016/j.fss.2012.04.005
- [87] **C. Sempi**, How many Archimedean copulas are there?, *Advances in Computational Intelligence. 14th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, IPMU 2012, Catania, Italy, July 9–13, 2012. Proceedings, Part II* Springer, Berlin **298**, 186–193 (2012).
- [88] **F. Durante, J. Fernández Sánchez, C. Sempi**, A topological proof of Sklar’s theorem, *Appl. Math. Lett* **26**, 945–948 (2013).
<http://dx.doi.org/10.1016/j.aml.2013.04.005>
- [89] **F. Durante, J. Fernández Sánchez, C. Sempi**, How to prove Sklar’s theorem, in H. Bustince, J. Fernández, R. Mesiar, T. Calvo (Eds), *Aggregation Functions in Theory and in Practice*, Proceedings of the 7th International Summer School on Aggregation Operators at the Public University of Navarra, Pamplona, Spain, July 16–20, 2013, *Advances in Intelligent Systems and Computing*, **228**, 2013, pp. 85–90.
- [90] **F. Durante, J. Fernández Sánchez, C. Sempi**, Multivariate patchwork copulas: a unified approach with applications to partial comonotonicity, *Insurance: Math. and Econom.* **53**, 897–905 (2013).
- [91] **F. Durante, C. Sempi**, *Principles of copula theory*, Chapman & Hall/CRC, Boca Raton FL, 2016. ISBN 978-1-4398-8442-3.
- [92] **C. Sempi**, A survey of copula-based measures of association, *Semin. Interdisc. Mat. (S.I.M.) Potenza*, **12**, 221–242 (2015).
- [93] **C. Sempi**, Algebraic properties of the star-product of copulas, *Oberwolfach Rep.* **20**, 29–31 (2015).
- [94] **C. Sempi**, Copulae of processes related to the Brownian motion: a brief survey, in S. Saminger-Platz and R. Mesiar (Eds), *On logical, algebraic, and probabilistic aspects of fuzzy set theory*, Studies in Fuzziness and Soft Computing 336, Springer International Publishing Switzerland, 2016, pp. 173–180. DOI 10.1007/978-3-319-28808-6_10
- [95] **A. Albanese, C. Sempi**, Idempotent copulae: Ordinal sums and Archimedean copulae, *J. Math. Anal. Appl.* **438**, 1055–1065 (2016).
<http://dx.doi.org/10.1016/j.jmaa.2016.02.037>
- [96] **C. Sempi**, Martingala: l’origine di un nome, *Ithaca: Viaggio nella Scienza*, **8**, 95–99 (2016).

- [97] **P. Harikrishnan, B. Lafuerza Guillén, C. Sempi**, On Probabilistic para-normed spaces and copulae, in K.S. Prasad, K.B. Srinavas, P. Harikrishnan and B. Satyanarayana (Eds), *Nearrings, nearfields and related topics*, World Scientific, Singapore, 2017, pp. 204–212.
- [98] **C. Sempi**, *Secondo Corso di Probabilità*, Quaderni del Dipartimento di Matematica e Fisica “Ennio De Giorgi”, Università del Salento, Quaderno 1 (2017). e-ISBN 9788883051296
- [99] **C. Sempi**, Quasi-copulas: a brief survey, in M.Úbeda Flores, E. de Amo Artero, F. Durante, J. Fernández Sánchez (Eds), *Copulas and dependence models with applications. Contributions in honor of Roger B. Nelsen*, Springer International Publishing, Cham, CH, 2017, pp. 203–224.
DOI 10.1007/978-3-319-64221-5₁₃
- [100] **J. Fernández Sánchez, F. Durante, C. Sempi**, A note on bivariate Archimax copulas, *Depend. Model.* **6**, 178–182 (2018).
- [101] **C. Sempi**, La formula di de Moivre–Stirling, *Ithaca: Viaggio nella Scienza*, **12**, 201–203 (2018).
- [102] **C. Sempi**, Modelli d’occupazione, *Ithaca: Viaggio nella Scienza*, **13**, 17–20 (2019).
- [103] **C. Sempi**, Gli spazi metrici probabilistici, *Ithaca: Viaggio nella Scienza*, **13**, 33–39 (2019).
- [104] **E. de Amo, C. Sempi**, Is it possible to define conditional expectations for probability charges?, *Fuzzy Sets Syst.* **379**, 37–47 (2020).
<https://doi.org/10.1016/j.fss.2019.01.016>
- [105] **F. Durante, E.P. Klement, S. Saminger–Platz, C. Sempi**, Ordinal sums: From triangular norms to bi- and multivariate copulas, *Fuzzy Sets Syst.* **451** 28–64 (2022).
<https://doi.org/10.1016/j.fss.2022.04.001>
- [106] **C. Sempi**, A study of the mass distribution of quasi-copulas, *Fuzzy Sets Syst.* **466** (2023) 108467

Ultima revisione: 30 maggio 2023

DIPARTIMENTO DI MATEMATICA E FISICA “ENNIO DE GIORGI”, UNIVERSITÀ DEL SALENTO,
73100 LECCE, ITALY
E-mail address: carlo.sempi@unisalento.it