

Documents

Export Date: 25 Jun 2018

Search: AU-ID("Esposito Corcione, Carola" 6506940990)

- 1) Giuri, A., Colella, S., Listorti, A., Rizzo, A., Mele, C., Corcione, C.E.
[GO/glucose/PEDOT:PSS ternary nanocomposites for flexible supercapacitors](#)
 (2018) Composites Part B: Engineering, 148, pp. 149-155.
 DOI: 10.1016/j.compositesb.2018.04.053

 Document Type: Article
 Source: Scopus

- 2) Esposito Corcione, C., Striani, R., Capone, C., Molfetta, M., Vendetta, S., Frigione, M.
[Preliminary study of the application of a novel hydrophobic photo-polymerizable nano-structured coating on concrete substrates](#)
 (2018) Progress in Organic Coatings, 121, pp. 182-189.
 DOI: 10.1016/j.porgcoat.2018.04.024

 Document Type: Article
 Source: Scopus

- 3) Giuri, A., Colella, S., Listorti, A., Rizzo, A., Esposito Corcione, C.
[Biodegradable extruded thermoplastic maize starch for outdoor applications](#)
 (2018) Journal of Thermal Analysis and Calorimetry, pp. 1-10. Article in Press.
 DOI: 10.1007/s10973-018-7404-7

 Document Type: Article in Press
 Source: Scopus

- 4) Esposito Corcione, C., Scalera, F., Gervaso, F., Montagna, F., Sannino, A., Maffezzoli, A.
[One-step solvent-free process for the fabrication of high loaded PLA/HA composite filament for 3D printing](#)
 (2018) Journal of Thermal Analysis and Calorimetry, pp. 1-8. Article in Press.
 DOI: 10.1007/s10973-018-7155-5

 Document Type: Article in Press
 Source: Scopus

- 5) Esposito Corcione, C., Palumbo, E., Masciullo, A., Montagna, F., Torricelli, M.C.
[Fused Deposition Modeling \(FDM\): An innovative technique aimed at reusing Lecce stone waste for](#)

[industrial design and building applications](#)

(2018) Construction and Building Materials, 158, pp. 276-284.

DOI: 10.1016/j.conbuildmat.2017.10.011

Document Type: Article

Source: Scopus

- 6) Makvandi, P., Esposito Corcione, C., Paladini, F., Gallo, A.L., Montagna, F., Jamaledin, R., Pollini, M., Maffezzoli, A.

[Antimicrobial modified hydroxyapatite composite dental bite by stereolithography](#)

(2018) Polymers for Advanced Technologies, 29 (1), pp. 364-371. Cited 2 times.

DOI: 10.1002/pat.4123

Document Type: Article

Source: Scopus

- 7) Kunjalukkal Padmanabhan, S., Esposito Corcione, C., Nisi, R., Maffezzoli, A., Licciulli, A.

[PolyDiethyleneglycol-bisallyl carbonate matrix transparent nanocomposites reinforced with bacterial cellulose microfibrils](#)

(2017) European Polymer Journal, 93, pp. 192-199. Cited 2 times.

DOI: 10.1016/j.eurpolymj.2017.05.037

Document Type: Article

Source: Scopus

- 8) Masi, S., Rizzo, A., Munir, R., Listorti, A., Giuri, A., Esposito Corcione, C., Treat, N.D., Gigli, G., Amassian, A., Stingelin, N., Colella, S.

[Organic Gelators as Growth Control Agents for Stable and Reproducible Hybrid Perovskite-Based Solar Cells](#)

(2017) Advanced Energy Materials, 7 (14), . Cited 12 times.

DOI: 10.1002/aenm.201602600

Document Type: Article

Source: Scopus

- 9) Scarselli, G., Corcione, C., Nicassio, F., Maffezzoli, A.

[Adhesive joints with improved mechanical properties for aerospace applications](#)

(2017) International Journal of Adhesion and Adhesives, 75, pp. 174-180. Cited 2 times.

DOI: 10.1016/j.ijadhadh.2017.03.012

Document Type: Article

Source: Scopus

- 10) Greco, A., Esposito Corcione, C., Maffezzoli, A.

[Diffusion in oriented lamellar nanocomposite: Numerical analysis of the effects of dispersion and intercalation](#)

(2017) Computational Materials Science, 133, pp. 45-51. Cited 1 time.

DOI: 10.1016/j.commatsci.2017.03.011

Document Type: Article

Source: Scopus

- 11) Giuri, A., Masi, S., Colella, S., Listorti, A., Rizzo, A., Kovtun, A., Dell'Elce, S., Liscio, A., Esposito Corcione, C.

[Rheological and physical characterization of PEDOT: PSS/graphene oxide nanocomposites for perovskite solar cells](#)

(2017) Polymer Engineering and Science, 57 (6), pp. 546-552. Cited 2 times.

DOI: 10.1002/pen.24554

Document Type: Article

Source: Scopus

- 12) Esposito Corcione, C., Frigione, M.

[Boehmite/methacrylic nano-composites as protective coatings for natural stones: comparison between sunlight and UV photopolymerization cure reaction](#)

(2017) Journal of Coatings Technology Research, 14 (3), pp. 597-606.

DOI: 10.1007/s11998-016-9876-3

Document Type: Article

Source: Scopus

- 13) Cataldi, A., Esposito Corcione, C., Frigione, M., Pegoretti, A.

[Photocurable resin/nanocellulose composite coatings for wood protection](#)

(2017) Progress in Organic Coatings, 106, pp. 128-136. Cited 6 times.

DOI: 10.1016/j.porgcoat.2017.01.019

Document Type: Article

Source: Scopus

- 14) Acocella, M.R., Corcione, C.E., Giuri, A., Maggio, M., Guerra, G., Maffezzoli, A.

[Catalytic activity of oxidized carbon black and graphene oxide for the crosslinking of epoxy resins](#)

(2017) *Polymers*, 9 (4), art. no. 133, . Cited 1 time.

DOI: 10.3390/polym9040133

Document Type: Article

Source: Scopus

- 15) Esposito Corcione, C., Gervaso, F., Scalera, F., Montagna, F., Sannino, A., Maffezzoli, A.

[The feasibility of printing polylactic acid–nanohydroxyapatite composites using a low-cost fused deposition modeling 3D printer](#)

(2017) *Journal of Applied Polymer Science*, 134 (13), art. no. 44656, . Cited 7 times.

DOI: 10.1002/app.44656

Document Type: Article

Source: Scopus

- 16) Esposito Corcione, C., Freuli, F., Frigione, M.

[Epoxy/expanded graphite stacks nanocomposites for cold-cured adhesives](#)

(2017) *Journal of Adhesion Science and Technology*, 31 (7), pp. 713-725. Cited 2 times.

DOI: 10.1080/01694243.2016.1230437

Document Type: Article

Source: Scopus

- 17) Giuri, A., Masi, S., Colella, S., Listorti, A., Rizzo, A., Liscio, A., Treossi, E., Palermo, V., Gigli, G., Mele, C., Esposito Corcione, C.

[GO/PEDOT:PSS nanocomposites: Effect of different dispersing agents on rheological, thermal, wettability and electrochemical properties](#)

(2017) *Nanotechnology*, 28 (17), art. no. 174001, . Cited 3 times.

DOI: 10.1088/1361-6528/aa6517

Document Type: Article

Source: Scopus

- 18) Esposito Corcione, C., Frigione, M.

[Cure kinetics and physical characterization of epoxy/modified boehmite nanocomposites](#)

(2017) *Journal of Adhesion Science and Technology*, 31 (6), pp. 645-662. Cited 2 times.

DOI: 10.1080/01694243.2016.1229522

Document Type: Article

Source: Scopus

- 19) Esposito Corcione, C., De Simone, N., Santarelli, M.L., Frigione, M.
[Protective properties and durability characteristics of experimental and commercial organic coatings for the preservation of porous stone](#)
(2017) Progress in Organic Coatings, 103, pp. 193-203. Cited 6 times.
DOI: 10.1016/j.porgcoat.2016.10.037

Document Type: Article

Source: Scopus

- 20) Giuri, A., Masi, S., Colella, S., Kovtun, A., Dell'Elce, S., Treossi, E., Liscio, A., Corcione, C.E., Rizzo, A., Listorti, A.
[Cooperative Effect of GO and Glucose on PEDOT:PSS for High VOC and Hysteresis-Free Solution-Processed Perovskite Solar Cells \(Adv. Funct. Mater., \(2016\), 38, \(6985\), 10.1002/adfm.201603023\)](#)
(2017) Advanced Functional Materials, 27 (2), art. no. 1770011, .
DOI: 10.1002/adfm.201605816

Document Type: Erratum

Source: Scopus

- 21) Pia, G., Esposito Corcione, C., Striani, R., Casnedi, L., Sanna, U.
[Coating's influence on water vapour permeability of porous stones typically used in cultural heritage of Mediterranean area: Experimental tests and model controlling procedure](#)
(2017) Progress in Organic Coatings, 102, pp. 239-246. Cited 1 time.
DOI: 10.1016/j.porgcoat.2016.10.021

Document Type: Article

Source: Scopus

- 22) Corcione, C.E., Gervaso, F., Scalera, F., Montagna, F., Maiullaro, T., Sannino, A., Maffezzoli, A.
[3D printing of hydroxyapatite polymer-based composites for bone tissue engineering](#)
(2017) Journal of Polymer Engineering, 37 (8), pp. 741-746. Cited 2 times.
DOI: 10.1515/polyeng-2016-0194

Document Type: Article

Source: Scopus

- 23) Striani, R., Esposito Corcione, C., Dell'Anna Muia, G., Frigione, M.

Durability of a sunlight-curable organic–inorganic hybrid protective coating for porous stones in natural and artificial weathering conditions

(2016) Progress in Organic Coatings, 101, pp. 1-14. Cited 4 times.

DOI: 10.1016/j.porgcoat.2016.07.018

Document Type: Article

Source: Scopus

- 24) Esposito Corcione, C., Acocella, M.R., Giuri, A., Maffezzoli, A.

Epoxy resin catalyzed by graphite-based nanofillers

(2016) International Polymer Processing, 31 (5), pp. 548-553.

DOI: 10.3139/217.3225

Document Type: Article

Source: Scopus

- 25) Giuri, A., Masi, S., Colella, S., Kovtun, A., Dell'Elce, S., Treossi, E., Liscio, A., Esposito Corcione, C., Rizzo, A., Listorti, A.

Cooperative Effect of GO and Glucose on PEDOT:PSS for High VOCand Hysteresis-Free Solution-Processed Perovskite Solar Cells

(2016) Advanced Functional Materials, 26 (38), pp. 6985-6994. Cited 21 times.

DOI: 10.1002/adfm.201603023

Document Type: Article

Source: Scopus

- 26) Cataldi, A., Esposito Corcione, C., Frigione, M., Pegoretti, A.

Photocurable resin/microcrystalline cellulose composites for wood protection: Physical-mechanical characterization

(2016) Progress in Organic Coatings, 99, pp. 230-239. Cited 3 times.

DOI: 10.1016/j.porgcoat.2016.05.015

Document Type: Article

Source: Scopus

- 27) Giuri, A., Masi, S., Colella, S., Listorti, A., Rizzo, A., Gigli, G., Liscio, A., Treossi, E., Palermo, V., Rella, S., Malitesta, C., Esposito Corcione, C.

UV reduced graphene oxide PEDOT:PSS nanocomposite for perovskite solar cells

(2016) IEEE Transactions on Nanotechnology, 15 (5), art. no. 7398111, pp. 725-730. Cited 7 times.

DOI: 10.1109/TNANO.2016.2524689

Document Type: Article

Source: Scopus

- 28) Esposito Corcione, C., Manno, R., Frigione, M.

[Sunlight curable boehmite/siloxane-modified methacrylic nano-composites: An innovative solution for the protection of carbonate stones](#)

(2016) Progress in Organic Coatings, 97, pp. 222-232. Cited 12 times.

DOI: 10.1016/j.porgcoat.2016.04.037

Document Type: Article

Source: Scopus

- 29) Demitri, C., De Benedictis, V.M., Madaghiele, M., Corcione, C.E., Maffezzoli, A.

[Nanostructured active chitosan-based films for food packaging applications: Effect of graphene stacks on mechanical properties](#)

(2016) Measurement: Journal of the International Measurement Confederation, 90, pp. 418-423.

Cited 13 times.

DOI: 10.1016/j.measurement.2016.05.012

Document Type: Article

Source: Scopus

- 30) Esposito Corcione, C., Manno, R., Frigione, M.

[Sunlight-curable boehmite/siloxane-modified methacrylic based nanocomposites as insulating coatings for stone substrates](#)

(2016) Progress in Organic Coatings, 95, pp. 107-119. Cited 12 times.

DOI: 10.1016/j.porgcoat.2016.03.007

Document Type: Article

Source: Scopus

- 31) Giuri, A., Colella, S., Listorti, A., Rizzo, A., Corcione, C.E.

[PEDOT:PSS/GO nanocomposites: Determination of the aspect ratio by indirect measurements](#)

(2016) AIP Conference Proceedings, 1736, art. no. 4949690, .

DOI: 10.1063/1.4949690

Document Type: Conference Paper

Source: Scopus

- 32) Tescione, F., Lionetto, F., Corcione, C.E., Buonocore, G.G., Striani, R., Lavorgna, M., Frigione, M.
[Morphological characterization of silica obtained by calcination of methacrylic and epoxy - silica hybrid systems](#)
 (2016) AIP Conference Proceedings, 1736, art. no. 4949635, .
 DOI: 10.1063/1.4949635
 Document Type: Conference Paper
 Source: Scopus

- 33) Greco, A., Corcione, C.E., Maffezzoli, A.
[Effect of multi-scale diffusion on the permeability behavior of intercalated nanocomposites](#)
 (2016) Journal of Membrane Science, 505, pp. 92-99. Cited 6 times.
 DOI: 10.1016/j.memsci.2016.01.029
 Document Type: Article
 Source: Scopus

- 34) Pia, G., Esposito Corcione, C., Striani, R., Casnedi, L., Sanna, U.
[Thermal conductivity of porous stones treated with UV light-cured hybrid organic-inorganic methacrylic-based coating. Experimental and fractal modeling procedure](#)
 (2016) Progress in Organic Coatings, 94, pp. 105-115. Cited 9 times.
 DOI: 10.1016/j.porgcoat.2016.02.013
 Document Type: Article
 Source: Scopus

- 35) Acocella, M.R., Corcione, C.E., Giuri, A., Maggio, M., Maffezzoli, A., Guerra, G.
[Graphene oxide as a catalyst for ring opening reactions in amine crosslinking of epoxy resins](#)
 (2016) RSC Advances, 6 (28), pp. 23858-23865. Cited 17 times.
 DOI: 10.1039/c6ra00485g
 Document Type: Article
 Source: Scopus

- 36) Corcione, C.E., Acocella, M.R., Giuri, A., Maffezzoli, A., Guerra, G.
[Cure reaction of epoxy resins catalyzed by graphite-based nanofiller](#)
 (2015) AIP Conference Proceedings, 1695, art. no. 020046, . Cited 1 time.
 DOI: 10.1063/1.4937324
 Document Type: Conference Paper

Source: Scopus

- 37) Ingrosso, C., Esposito Corcione, C., Striani, R., Comparelli, R., Striccoli, M., Agostiano, A., Curri, M.L., Frigione, M.
[UV-Curable Nanocomposite Based on Methacrylic-Siloxane Resin and Surface-Modified TiO₂ Nanocrystals](#)
 (2015) ACS Applied Materials and Interfaces, 7 (28), pp. 15494-15505. Cited 12 times.
 DOI: 10.1021/acsami.5b03731

 Document Type: Article
 Source: Scopus

- 38) Rella, S., Giuri, A., Corcione, C.E., Acocella, M.R., Colella, S., Guerra, G., Listorti, A., Rizzo, A., Malitesta, C.
[X-ray photoelectron spectroscopy of reduced graphene oxide prepared by a novel green method](#)
 (2015) Vacuum, 119, art. no. 6670, pp. 159-162. Cited 21 times.
 DOI: 10.1016/j.vacuum.2015.05.008

 Document Type: Article
 Source: Scopus

- 39) Esposito Corcione, C., Striani, R., Montagna, F., Cannoletta, D.
[Organically modified montmorillonite polymer nanocomposites for stereolithography building process](#)
 (2015) Polymers for Advanced Technologies, 26 (1), pp. 92-98. Cited 9 times.
 DOI: 10.1002/pat.3425

 Document Type: Article
 Source: Scopus

- 40) Esposito Corcione, C., Striani, R., Frigione, M.
[Hydrophobic photopolymerizable nanostructured hybrid materials: An effective solution for the protection of porous stones](#)
 (2015) Polymer Composites, 36 (6), pp. 1039-1047. Cited 5 times.
 DOI: 10.1002/pc.23367

 Document Type: Conference Paper
 Source: Scopus

- 41) Esposito Corcione, C., Striani, R., Frigione, M.
[Sunlight curable hybrid organic-inorganic methacrylic-based coatings: Analysis of the cure](#)

[mechanism and functional properties](#)

(2015) *Polymers for Advanced Technologies*, 26 (2), pp. 167-175. Cited 9 times.

DOI: 10.1002/pat.3445

Document Type: Article

Source: Scopus

- 42) Demitri, C., Moscatello, A., Giuri, A., Raucci, M.G., Corcione, C.E.

[Preparation and Characterization of EG-Chitosan Nanocomposites via Direct Exfoliation: A Green Methodology](#)

(2015) *Polymers*, 7 (12), pp. 2584-2594. Cited 8 times.

DOI: 10.3390/polym7121535

Document Type: Article

Source: Scopus

- 43) Giuri, A., Rella, S., Malitesta, C., Colella, S., Listorti, A., Gigli, G., Rizzo, A., Davide Cozzoli, P., Acocella, M.R., Guerra, G., Corcione, C.E.

[Synthesis of reduced graphite oxide by a novel green process based on UV light irradiation](#)

(2015) *Science of Advanced Materials*, 7 (11), pp. 2445-2451. Cited 8 times.

DOI: 10.1166/sam.2015.2472

Document Type: Article

Source: Scopus

- 44) Mauro, M., Acocella, M.R., Corcione, C.E., Maffezzoli, A., Guerra, G.

[Catalytic activity of graphite-based nanofillers on cure reaction of epoxy resins](#)

(2014) *Polymer (United Kingdom)*, 55 (22), pp. 5612-5615. Cited 36 times.

DOI: 10.1016/j.polymer.2014.09.019

Document Type: Article

Source: Scopus

- 45) Esposito Corcione, C., Striani, R., Frigione, M.

[Novel hydrophobic free-solvent UV-cured hybrid organic-inorganic methacrylic-based coatings for porous stones](#)

(2014) *Progress in Organic Coatings*, 77 (4), pp. 803-812. Cited 19 times.

DOI: 10.1016/j.porgcoat.2014.01.008

Document Type: Article

Source: Scopus

46) Corcione, C.E.

[Development and characterization of novel photopolymerizable formulations for stereolithography](#)

(2014) Journal of Polymer Engineering, 34 (1), pp. 85-93. Cited 6 times.

DOI: 10.1515/polyeng-2013-0224

Document Type: Article

Source: Scopus

47) Corcione, C.E., Striani, R., Frigione, M.

[UV-cured methacrylic-silica hybrids: Effect of oxygen inhibition on photo-curing kinetics](#)

(2014) Thermochimica Acta, 576, pp. 47-55. Cited 11 times.

DOI: 10.1016/j.tca.2013.11.028

Document Type: Article

Source: Scopus

48) Corcione, C.E., Frigione, M.

[Novel ultraviolet-curable methacrylate nanocomposite as coatings for cultural heritage applications](#)

(2014) Proceedings of the Institution of Mechanical Engineers, Part N: Journal of Nanoengineering and Nanosystems, 228 (1), pp. 33-39. Cited 1 time.

DOI: 10.1177/1740349913486098

Document Type: Article

Source: Scopus

49) Esposito Corcione, C., Frigione, M.

[Novel UV-cured nanocomposite used for the protection of walnut wood artworks](#)

(2014) Wood Research, 59 (2), pp. 229-244. Cited 3 times.

Document Type: Article

Source: Scopus

50) Esposito Corcione, C., Striani, R., Frigione, M.

[Organic-inorganic UV-cured methacrylic-based hybrids as protective coatings for different substrates](#)

(2014) Progress in Organic Coatings, 77 (6), pp. 1117-1125. Cited 15 times.

DOI: 10.1016/j.porgcoat.2014.03.010

Document Type: Article

Source: Scopus

- 51) Corcione, C.E., Freuli, F., Frigione, M.

[Cold-curing structural epoxy resins: Analysis of the curing reaction as a function of curing time and thickness](#)

(2014) Materials, 6 (9), pp. 6832-6842. Cited 8 times.

DOI: 10.3390/ma7096832

Document Type: Article

Source: Scopus

- 52) Striani, R., Corcione, C.E., Frigione, M.

[Novel hydrophobic photopolymerizable nano-structured protective coating for porous stones](#)

(2014) AIP Conference Proceedings, 1599, pp. 402-405.

DOI: 10.1063/1.4876863

Document Type: Conference Paper

Source: Scopus

- 53) Scalera, F., Esposito Corcione, C., Montagna, F., Sannino, A., Maffezzoli, A.

[Development and characterization of UV curable epoxy/hydroxyapatite suspensions for stereolithography applied to bone tissue engineering](#)

(2014) Ceramics International, 40 (10), pp. 15455-15462. Cited 15 times.

DOI: 10.1016/j.ceramint.2014.06.117

Document Type: Article

Source: Scopus

- 54) Corcione, C.E., Striani, R., Frigione, M.

[Microgel modified UV-cured methacrylic-silica hybrid: Synthesis and characterization](#)

(2013) Materials, 6 (9), pp. 3805-3825. Cited 13 times.

DOI: 10.3390/ma6093805

Document Type: Article

Source: Scopus

- 55) Corcione, C.E., Frigione, M.

[Surface characterization of novel hydrophobic UV-curable siloxane-modified methacrylate/Boehmite nanocomposites](#)

(2013) Polymer Composites, 34 (9), pp. 1546-1552. Cited 8 times.

DOI: 10.1002/pc.22424

Document Type: Article

Source: Scopus

- 56) Esposito Corcione, C., Striani, R., Frigione, M.

[UV-cured siloxane-modified methacrylic system containing hydroxyapatite as potential protective coating for carbonate stones](#)

(2013) Progress in Organic Coatings, 76 (9), pp. 1236-1242. Cited 22 times.

DOI: 10.1016/j.porgcoat.2013.03.024

Document Type: Article

Source: Scopus

- 57) Corcione, C.E., Cataldi, A., Frigione, M.

[Measurements of size distribution nanoparticles in ultraviolet-curable methacrylate-based boehmite nanocomposites](#)

(2013) Journal of Applied Polymer Science, 128 (6), pp. 4102-4109. Cited 15 times.

DOI: 10.1002/app.38639

Document Type: Article

Source: Scopus

- 58) Corcione, C.E., Greco, A., Frigione, M., Maffezzoli, A.

[Polymer Nanocomposites Characterized by Thermal Analysis Techniques](#)

(2013) Polymer Composites, Nanocomposites, 2, pp. 201-217. Cited 2 times.

DOI: 10.1002/9783527652372.ch9

Document Type: Book Chapter

Source: Scopus

- 59) Esposito Corcione, C., Maffezzoli, A.

[Transport properties of graphite/epoxy composites: Thermal, permeability and dielectric characterization](#)

(2013) Polymer Testing, 32 (5), pp. 880-888. Cited 37 times.

DOI: 10.1016/j.polymertesting.2013.03.023

Document Type: Article

Source: Scopus

- 60) Corcione, C.E., Freuli, F., Maffezzoli, A.

[The aspect ratio of epoxy matrix nanocomposites reinforced with graphene stacks](#)

(2013) Polymer Engineering and Science, 53 (3), pp. 531-539. Cited 40 times.

DOI: 10.1002/pen.23292

Document Type: Article

Source: Scopus

- 61) Frigione, M., Corcione, C.E.

[Rheological and kinetic characterization of UV photopolymerizable formulations as a function of the boehmite nanoparticle content](#)

(2012) Open Materials Science Journal, 6, pp. 68-76. Cited 6 times.

DOI: 10.2174/1874088X01206010068

Document Type: Article

Source: Scopus

- 62) Corcione, C.E., Frigione, M.

[Rheological characterization of UV/visible photopolymerizable coatings](#)

(2012) AIP Conference Proceedings, 1459 (1), pp. 184-186.

DOI: 10.1063/1.4738437

Document Type: Conference Paper

Source: Scopus

- 63) Corcione, C.E., Frigione, M.

[Characterization of nanocomposites by thermal analysis](#)

(2012) Materials, 5 (12), pp. 2960-2980. Cited 61 times.

DOI: 10.3390/ma5122960

Document Type: Review

Source: Scopus

- 64) Corcione, C.E., Frigione, M.

[UV-cured polymer-boehmite nanocomposite as protective coating for wood elements](#)

(2012) Progress in Organic Coatings, 74 (4), pp. 781-787. Cited 49 times.

DOI: 10.1016/j.porgcoat.2011.06.024

Document Type: Conference Paper

Source: Scopus

- 65) Esposito Corcione, C., Greco, A., Maffezzoli, A.
[The aspect ratio of nanofillers: A key properties affecting the performances of polymer matrix nanocomposites](#)
(2012) International SAMPE Technical Conference, 13 p.

Document Type: Conference Paper
Source: Scopus
- 66) Esposito Corcione, C., Frigione, M.
[Factors influencing photo curing kinetics of novel UV-cured siloxane-modified acrylic coatings: Oxygen inhibition and composition](#)
(2012) Thermochimica Acta, 534, pp. 21-27. Cited 27 times.

DOI: 10.1016/j.tca.2012.01.023

Document Type: Article
Source: Scopus
- 67) Corcione, C.E., Frigione, M.
[UV-cured siloxane-modified acrylic coatings containing birifrangent calcarenitic stone particles: Photo-calorimetric analysis and surface properties](#)
(2011) Progress in Organic Coatings, 72 (3), pp. 522-527. Cited 21 times.

DOI: 10.1016/j.porgcoat.2011.06.012

Document Type: Article
Source: Scopus
- 68) Esposito Corcione, C., Frigione, M.
[Influence of stone particles on the rheological behavior of a novel photopolymerizable siloxane-modified acrylic resin](#)
(2011) Journal of Applied Polymer Science, 122 (2), pp. 942-947. Cited 14 times.

DOI: 10.1002/app.34201

Document Type: Article
Source: Scopus
- 69) Corcione, C.E., Cavallo, A., Pesce, E., Greco, A., Maffezzoli, A.
[Evaluation of the degree of dispersion of nanofillers by mechanical, rheological, and permeability analysis](#)
(2011) Polymer Engineering and Science, 51 (7), pp. 1280-1285. Cited 39 times.

DOI: 10.1002/pen.21929

Document Type: Article

Source: Scopus

- 70) Greco, A., Corcione, C.E., Strafella, A., Maffezzoli, A.

[Analysis of the structure and mass transport properties of clay nanocomposites based on amorphous PET](#)

(2010) Journal of Applied Polymer Science, 118 (6), pp. 3666-3672. Cited 35 times.

DOI: 10.1002/app.32401

Document Type: Article

Source: Scopus

- 71) Corcione, C.E., Previderio, A., Frigione, M.

[Kinetics characterization of a novel photopolymerizable siloxane-modified acrylic resin](#)

(2010) Thermochimica Acta, 509 (1-2), pp. 56-61. Cited 25 times.

DOI: 10.1016/j.tca.2010.06.001

Document Type: Article

Source: Scopus

- 72) Greco, A., Corcione, C.E., Cavalloa, A., Maffezzolia, A.

[Structural relaxation of amorphous PET matrix nanocomposites](#)

(2010) AIP Conference Proceedings, 1255, pp. 395-397. Cited 1 time.

DOI: 10.1063/1.3455648

Document Type: Conference Paper

Source: Scopus

- 73) Greco, A., Corcione, C.E., Maffezzoli, A.

[Water vapor permeability of clay nanocomposites based on amorphous PET](#)

(2010) Defect and Diffusion Forum, 297-301, pp. 422-426. Cited 3 times.

DOI: 10.4028/www.scientific.net/DDF.297-301.422

Document Type: Conference Paper

Source: Scopus

- 74) Esposito Corcione, C., Frigione, M.

[A novel procedure able to predict the rheological behavior of trifunctional epoxy resin/hyperbranched aliphatic polyester mixtures](#)

(2009) Polymer Testing, 28 (8), pp. 830-835. Cited 20 times.

DOI: 10.1016/j.polymertesting.2009.07.005

Document Type: Article

Source: Scopus

- 75) Corcione, C.E., Maffezzoli, A., Cannoletta, D.

[Effect of a nanodispersed clay fillers on glass transition of thermosetting polyurethane](#)

(2009) Macromolecular Symposia, 286 (1), pp. 180-186. Cited 4 times.

DOI: 10.1002/masy.200951222

Document Type: Conference Paper

Source: Scopus

- 76) Esposito Cordone, C., Mensitieri, G., Maffezzoli, A.

[Analysis of the structure and mass transport properties of nanocomposite polyurethane](#)

(2009) Polymer Engineering and Science, 49 (9), pp. 1708-1718. Cited 31 times.

DOI: 10.1002/pen.21410

Document Type: Article

Source: Scopus

- 77) Esposito Corcione, C., Manera, M.G., Maffezzoli, A., Rella, R.

[Synthesis and characterization of optically transparent epoxy matrix nanocomposites](#)

(2009) Materials Science and Engineering C, 29 (6), pp. 1798-1802. Cited 20 times.

DOI: 10.1016/j.msec.2009.02.004

Document Type: Article

Source: Scopus

- 78) Corcione, C.E., Frigione, M., Acierno, D.

[Rheological characterization of UV-curable epoxy systems: Effects of o-boehmite nanofillers and a hyperbranched polymeric modifier](#)

(2009) Journal of Applied Polymer Science, 112 (3), pp. 1302-1310. Cited 22 times.

DOI: 10.1002/app.29603

Document Type: Article

Source: Scopus

- 79) Esposito Corcione, C., Malucelli, G., Frigione, M., Maffezzoli, A.

[UV-curable epoxy systems containing hyperbranched polymers: Kinetics investigation by photo-DSC](#)

[and real-time FT-IR experiments](#)

(2009) Polymer Testing, 28 (2), pp. 157-164. Cited 29 times.

DOI: 10.1016/j.polymertesting.2008.11.002

Document Type: Article

Source: Scopus

- 80) Corcione, C.E., Maffezzoli, A.

[Glass transition in thermosetting clay-nanocomposite polyurethanes](#)

(2009) Thermochimica Acta, 485 (1-2), pp. 43-48. Cited 38 times.

DOI: 10.1016/j.tca.2008.12.009

Document Type: Article

Source: Scopus

- 81) Corcione, C.E., Greco, A., Maffezzoli, A.

[Clay-nanocomposites polyurethane adhesives: Analysis of the rigid amorphous fraction](#)

(2008) AIP Conference Proceedings, 1042, pp. 219-221.

DOI: 10.1063/1.2989008

Document Type: Conference Paper

Source: Scopus

- 82) Esposito Corcione, C., Frigione, M., Maffezzoli, A., Malucelli, G.

[Photo - DSC and real time - FT-IR kinetic study of a UV curable epoxy resin containing o-Boehmites](#)

(2008) European Polymer Journal, 44 (7), pp. 2010-2023. Cited 41 times.

DOI: 10.1016/j.eurpolymj.2008.04.030

Document Type: Article

Source: Scopus

- 83) Esposito Corcione, C., Prinari, P., Cannoletta, D., Mensitieri, G., Maffezzoli, A.

[Synthesis and characterization of clay-nanocomposite solvent-based polyurethane adhesives](#)

(2008) International Journal of Adhesion and Adhesives, 28 (3), pp. 91-100. Cited 43 times.

DOI: 10.1016/j.ijadhadh.2006.12.004

Document Type: Article

Source: Scopus

- 84) Esposito Corcione, C., Fasiello, A., Maffezzoli, A.
[Synthesis and characterization of boehmite reinforced epoxy nanocomposites](#)
(2007) Journal of Nanostructured Polymers and Nanocomposites, 3 (3), pp. 82-89. Cited 19 times.
Document Type: Article
Source: Scopus
- 85) Esposito Corcione, C., Montagna, F., Greco, A., Licciulli, A., Maffezzoli, A.
[Free form fabrication of silica moulds for aluminium casting by stereolithography](#)
(2006) Rapid Prototyping Journal, 12 (4), pp. 184-188. Cited 21 times.
DOI: 10.1108/13552540610682688
Document Type: Article
Source: Scopus
- 86) Corcione, C.E., Greco, A., Maffezzoli, A.
[Temperature evolution during stereolithography building with a commercial epoxy resin](#)
(2006) Polymer Engineering and Science, 46 (4), pp. 493-502. Cited 11 times.
DOI: 10.1002/pen.20488
Document Type: Article
Source: Scopus
- 87) Corcione, C.E., Greco, A., Maffezzoli, A.
[Time-temperature and time-irradiation intensity superposition for photopolymerization of an epoxy based resin](#)
(2005) Polymer, 46 (19 SPEC. ISS.), pp. 8018-8027. Cited 15 times.
DOI: 10.1016/j.polymer.2005.06.111
Document Type: Article
Source: Scopus
- 88) Corcione, C.E., Greco, A., Montagna, F., Licciulli, A., Maffezzoli, A.
[Silica moulds built by stereolithography](#)
(2005) Journal of Materials Science, 40 (18), pp. 4899-4904. Cited 27 times.
DOI: 10.1007/s10853-005-3888-1
Document Type: Article
Source: Scopus

- 89) Licciulli, A., Esposito Corcione, C., Greco, A., Amicarelli, V., Maffezzoli, A.

[Laser stereolithography of ZrO₂toughened Al₂O₃](#)

(2005) Journal of the European Ceramic Society, 25 (9), pp. 1581-1589. Cited 44 times.

DOI: 10.1016/j.jeurceramsoc.2003.12.003

Document Type: Article

Source: Scopus

- 90) Licciulli, A., Corcione, C.E., Greco, A., Amicarelli, V., Maffezzoli, A.

[Laser stereolithography of ZrO₂toughened Al₂O₃](#)

(2004) Journal of the European Ceramic Society, 24 (15-16), pp. 3769-3777. Cited 20 times.

DOI: 10.1016/j.jeurceramsoc.2003.12.024

Document Type: Article

Source: Scopus

- 91) Corcione, C.E., Greco, A., Maffezzoli, A.

[Photopolymerization kinetics of an epoxy-based resin for stereolithography](#)

(2004) Journal of Applied Polymer Science, 92 (6), pp. 3484-3491. Cited 38 times.

DOI: 10.1002/app.20347

Document Type: Article

Source: Scopus

- 92) Esposito Corcione, C., Greco, A., Maffezzoli, A.

[Photopolymerization kinetics of an epoxy based resin for stereolithography calorimetric analysis](#)

(2003) Journal of Thermal Analysis and Calorimetry, 72 (2), pp. 687-693. Cited 24 times.

DOI: 10.1023/A

Document Type: Article

Source: Scopus