

A. Articoli su riviste internazionali.

- [1] D. Hennequin, F. de Tomasi, B. Zambon, and E. Arimondo. Homoclinic orbits and cycles in the instabilities of a laser with a saturable absorber. *Phys. Rev. A* 37:2243, 1988.
- [2] F. de Tomasi, D. Hennequin, B. Zambon, and E. Arimondo. Instabilities and chaos in an infrared laser with saturable absorber: experiments and vibro-rotational model. *J. Opt. Soc. Amer.*, B6:45, 1989.
- [3] B. Zambon, F. de Tomasi, D. Hennequin, and E. Arimondo. Investigations of models and experimental studies of stationary regime of a laser with a saturable absorber. *Phys. Rev.*, A40:3782, 1989.
- [4] D. Hennequin, F. de Tomasi, L. Fronzoni, B. Zambon, and E. Arimondo. Influence of noise on the quasi-homoclinic behavior of a laser with saturable absorber. *Opt. Comm.*, 70:253, 1989.
- [5] F. de Tomasi, M. Allegrini, E. Arimondo, G.P. Agarwal, and P. Ananthalakshmi. Collision enhanced resonance of laser diode excited cs in buffer gas. *Phys. Rev.*, A48:3820, 1993.
- [6] F. de Tomasi, E. Cerboneschi, and E. Arimondo. Asymmetric pulse shape in the lff instabilities of a semiconductor laser with optical feedback. *IEEE J. Quantum El.*, QE 30:2277, 1994.
- [7] F. de Tomasi, M. Allegrini, E. Arimondo, G. Pichler, and L. Windholz. Line-shape changes in an optically thick na vapour with a buffer gas. *Opt. Comm.*, 112:289, 1994.
- [8] S. Milosevic, F. de Tomasi, F. Fuso, and M. Allegrini. Thermal energy pooling collisions in cesium vapor: $cs(6p_{3/2}) + cs(6p_{3/2}) \rightarrow cs(7p_{3/2,1/2}) + cs(6s_{1/2})$. *Europhysics Letters*, 32:703, 1995.
- [9] S. Bourzeix, B. de Beauvoir, F. Nez, M.D. Plimmer, F. de Tomasi, L. Julien, F. Biraben, and D.N. Stacey. High resolution spectroscopy of the hydrogen atom: determination of the 1s lamb shift. *Phys. Rev. Lett.*, 76:384, 1996.
- [10] Z. J. Jabbour, R.K. Namiotka, J. Huennekens, S. Milosevic, M. Allegrini, and F. de Tomasi. Energy pooling collisions in cesium : $6p_j + 6p_j \rightarrow 6s + (nl = 7p, 6d, 8s, 4f)$. *Phys. Rev.*, A54:1372, 1996.
- [11] S. Bourzeix, B. de Beauvoir, F. Nez, F. de Tomasi, L. Julien, and F. Biraben. Ultra-violet light generation at 205 nm by two frequency doubling steps of a cw titanium-sapphire laser. *Opt. Comm.*, 133:239, 1997.
- [12] F. de Tomasi, S. Milosevic, P. Verkerk, A. Fioretti, M. Allegrini, Z.J. Jabbour, and J. Huennekens. Modeling of laser excited atom density in presence of optical pumping and radiation trapping: application to cesium $6p_j + 6p_j \rightarrow 6s + nl_j$ ' energy pooling collisions. *Journal of Phys.*, B30:4991, 1997.

- [13] R. Brouri, F. de Tomasi, V. Lorent, J. Reinhardt, J. Baudon, J. Robert, and M. Gorlicki. A fresnel biprism device for atomic de broglie waves. *Opt. Comm.*, 141:329–335, 1997.
- [14] I. Mourachko, D. Comparat, F. de Tomasi, A. Fioretti, P. Nosbaum, V. M. Akulin, and P.Pillet. Many -body effects in a frozen rydberg gas. *Phys. Rev. Lett*, 80:253, 1998.
- [15] V. M. Akulin, F. de Tomasi, I. Mourachko, and P.Pillet. Level-band problem and many-body effect in cold rydberg atoms. *Physica*, D 131:125, 1999.
- [16] G.Labeyrie, F. de Tomasi, J.C. Bernard, C. Muller, C. Miniatura, and R. Kaiser. Coherent backscattering of light from a cold atomic cloud. *Phys. Rev. Lett*, 83:5266, 1999.
- [17] P.Miodushevsky, M.L. Protopapa, F. de Tomasi, M.R. Perrone, S.Tundo, and L.Vasanelli. Fine trimming of sms film resistance by xecl laser ablation. *Thin Solid Films*, 359:251–254, 2000.
- [18] F. de Tomasi, M.R. Perrone, and M.L. Protopapa. Ground based raman lidar for day and night measurements of water vapour in the boundary layer. *Il Nuovo Cimento*, C23:587–596, 2000.
- [19] F. de Tomasi, G. Torsello, and M.R. Perrone. Water vapour mixing ratio measurements in the solar-blind region. *Optics Letters*, 25:686, 2000.
- [20] G.Labeyrie, F. de Tomasi, J.C. Bernard, C. Muller, C. Miniatura, and R. Kaiser. Coherent backscattering of light by a laser-cooled gas of rubidium atoms. *Journal de Physique IV*, 10 (P8):63–70, 2000.
- [21] F. de Tomasi, M.R. Perrone, and M.L. Protopapa. Ozone monitoring with krf based raman lidars. *Appl.Opt.*, 40:1314–1320, 2001.
- [22] F. de Tomasi, D.Diso, M.R. Perrone, and M.L. Protopapa. Stimulated rotational and vibrational raman scattering by elliptical polarized pump radiation. *Physical Review*, A64:23812, 2001.
- [23] M.L. Protopapa, F. de Tomasi, M.R. Perrone, A.Piegari, E.Masetti, D.Ristau, E.Quesnel, and A. Duparr. Laser damage studies on mgf2 thin films. *Journal of Vacuum Science and Technology*, A19:681–688, 2001.
- [24] M.Alvisi, F. de Tomasi, M.R. Perrone, A.Rizzo, F.Sarto, and S.Scaglione. Laser damage dependence on structural and optical properties of ion assisted hfo2 thin films. *Thin Solid Films*, 396:44–52, 2001.
- [25] F. de Tomasi, M.R. Perrone, and M.L. Protopapa. Evolution of the beam quality factor for various active medium positions within a gaussian cavity. *Opt. Comm*, 195:315–325, 2001.

- [26] M.L. Protopapa, M. Alvisi, F. de Tomasi, M. Di Giulio, M.R. Perrone, and S. Scaglione. Influence of standing-wave electric field pattern on the laser damage resistance of hfo₂ thin films. *J. Vac. Sci. Technol.*, 20(3):643–650, 2002.
- [27] M.Alvisi, F. de Tomasi, A.Della Patria, M. Di Giulio, E.Masetti, MR. Perrone, ML. Protopapa, and A.Tepore. Ion assistance effects on electron beam deposited mgf2 films. *J. Vac. Sci. Technol.*, 20(3):714–720, 2002.
- [28] F. de Tomasi, M.R. Perrone, M.L. Protopapa, and G. Leo. Laser irradiation effects on the resistance of sms films. *Thin Solid Films*, 413:171–176, 2002.
- [29] F. de Tomasi, A. Blanco, and M.R. Perrone. Raman lidar monitoring of extinction and backscattering of african dust layer and dust chacterization. *Applied Optics-LP*, 42:1699, 2003.
- [30] F. de Tomasi and M.R. Perrone. Lidar measurement of tropospheric water vapor and aerosols profiles over southern italy. *Journal of Geophysical Research-Atmosphere*, 108:10.1029/2002JD002781, 2003.
- [31] F. de Tomasi, P. Aghamkar, M.R. Perrone, M.L. Protopapa, A.Piegari, B.Andre, and G. Ravel. Phase-unifying mirrors for high-power xef excimer lasers. *Appl. Phys. Letters*, 82:1809–1811, 2003.
- [32] F. de Tomasi, P. Martano, M.Miglietta, A.Morabito, and M.R. Perrone. Lidar monitoring of water vapor and comparison with numerical simulations. *Il Nuovo Cimento*, 26 C:373–385, 2003.
- [33] V.Matthias, V.Freudentaler, A.Amodeo, I.Balin, D.Balis, J.Bosenberg, A.Chaikovsky, G.Chourdakis, A.Comeron, A.Delaval, F. de Tomasi, R.Eixmann, A.Hagard, L.Komguen, S.Kreipl, R.Matthey, V.Rizi, J.A. Rodrigues, U.Wandinger, and X.Wang. Aerosol lidar intercomparison in the framework of the earlinet project. 1. instruments. *Appl. Opt.*, 43:961–976.
- [34] C. Bokmann, U.Wandinger, A.Ansmann, V.Freudentaler, J.Bosenberg, V.Amiridis, A.Boselli, A.Delaval, F.de Tomasi, M.Frioud, I.V. Grigorov, A.Hagard, M.Horvat, M.Iarlori, L.Komguen, S.Kreipl, G.Larcheveque, V.Matthias, A.Papayannis, G.Pappalardo, F.Rocadenbosch, J.A. Rodrigues, J. Schneider, V.Shcherbacov, and M. Wiegner. Aerosol lidar intercomparison in the framework of the earlinet project. 2. aerosol bckscatter algorithms. *Appl. Opt.*, 43:961–976, 2004.
- [35] F.Barnaba, F.De Tomasi, G.P.Gobbi, M.R.Perrone, and A.Tafuro. Extinction versus backscatter relationships for lidar applications at 351 nm: maritime and desert aerosol simulations and comparison with observations. *Atm. Research*, 70:229–259, 2004.
- [36] G. Pappalardo, A. Amodeo, M. Pandolfi, U. Wandinger, A. Ansmann, J. Boesenberg, V. Matthias, V. Amiridis, F. De Tomasi, M. Frioud, M. Iarlori, L. Komguem, A. Papayannis, F. Rocandebosch, and X. Wuang.

Aerosol lidar intercomparison in the framework of earlinet: Part iii - raman lidar algorithm for aerosol extinction, backscatter and lidar ratio. *Appl. Opt.*, 43:5370–5385, 2004.

- [37] M.R.Perrone, F.Barnaba, F. de Tomasi, G.P.Gobbi, and A.Tafuro. Imaginary refractive index effects on desert-aerosols extinction versus backscatter relationships at 351 nm: numerical computations and comparison with raman lidar measurements. *Appl. Opt.*, 43, 2004.
- [38] A.M. Tafuro, F. Barnaba, F. de Tomasi, M.R. Perrone, and G.P. Gobbi. Saharan dust particles properties over the central mediterranean. *Atmospheric Research*, 81:67–93, 2006.
- [39] F. de Tomasi and M.R. Perrone. Pbl and dust layer seasonal evolution by lidar and radiosounding measurements over a peninsular site. *Atmospheric Research*, 80:86–103, 2006.
- [40] F. de Tomasi, A.M. Tafuro, and M.R. Perrone. Height and seasonal dependence of aerosol optical properties over south-east italy. *Journal of Geophysical Research*, 111:D10203, 2006.
- [41] M. Santese, F. De Tomasi, and M.R. Perrone. Aeronet versus modis aerosol parameters at different spatial resolutions over south-east italy. *Journal of Geophysical Research*, 112, 2007.
- [42] A. Tafuro, S. Kinne, F. De Tomasi, and M.R. Perrone. Radiative forcing annual-cycle over south-east italy and sensitivity studies. *Journal of Geophysical Research*, 112, 2007.
- [43] F. Barnaba, A. Tafuro, , F. De Tomasi, and M.R. Perrone. Observed and simulated vertically-resolved optical properties of continental aerosols over south-east italy: a closure study. *Journal of Geophysical Research*, 112, 2007.
- [44] M. Santese, F. De Tomasi, and M.R. Perrone. Moderate resolution imaging spectroradiometer (modis) and aerosol robotic network (aeronet) retrievals during dust outbreaks over the mediterranean. *Journal of Geophysical Research*, 112, 2007.
- [45] A. Papayannis, V. Amiridis, G. Tsaknakis, D. Balis, J. Bsenberg, A. Chaikovski, F. De Tomasi, V. Freudenthaler, I. Grigorov, I. Mattis, V. Mitev, D. Mller, L. Mona, S. Nickovic, C. Prez, A. Pietruczuk, G. Pisani, F. Ravetta, V. Rizi, M. Sicard, and T. Trickl. Systematic lidar observations of saharan dust over europe in the frame of earlinet (2000-2002). *Journal of Geophysical Research*, in press, 2008.
- [46] M. Santese, F. De Tomasi, and M.R. Perrone. Advection patterns and aerosol optical and microphysical properties by aeronet over south-east italy in the central mediterranean. *Atmospheric Chemical and Physics*, in press, 2008.

- [47] A. Bergamo, DE TOMASI F., and M. R. Perrone. Direct radiative effects by anthropogenic particles at a polluted site: Rome (italy). *NUOVO CIMENTO DELLA SOCIET ITALIANA DI FISICA. C, GEOPHYSICS AND SPACE PHYSICS*, 31 C:513–526, 2008.
- [48] BELLANTONE V, CAROFALO I, DE TOMASI F., M.R. PERRONE, SANTESE M, TAFURO A.M, and TURNONE A. In situ samplings and remote sensing measurements to characterize aerosol properties over south-east italy. *JOURNAL OF ATMOSPHERIC AND OCEANIC TECHNOLOGY*, 25:1341–1356, 2008.
- [49] BERGAMO A, TAFURO A.M, KINNE S, DE TOMASI F., and PERRONE M.R. Monthly averaged anthropogenic aerosol direct radiative forcing over the mediterranean based on aeronet aerosol properties. *ATMOSPHERIC CHEMISTRY AND PHYSICS*, 8:6995–7014, 2008.
- [50] G PAVESE, F ESPOSITO, DE TOMASI F., M CALVELLO, and M.R. PERRONE. Detection of sahara dust intrusions during mixed advection patterns over south-east italy: a case study. *ATMOSPHERIC RESEARCH*, 92:489–504, 2009.
- [51] M. Santese, M. R. Perrone, A. S. Zakey, DE TOMASI F., and F. Giorgi. Modeling of sahara dust outbreaks over the mediterranean by regcm3: case studies. *ATMOSPHERIC CHEMISTRY AND PHYSICS*, 10:1–24, 2010.
- [52] G. Pappalardo, U. Wandinger, L. Mona, A. Hiebsch, I. Mattis, A. Amodeo, A. Ansmann, P. Seifert, H. Linn, A. Apituley, L. Alados Arboledas, D. Balis, A. Chaikovsky, G. D’Amico, DE TOMASI F., V. Freudenthaler, E. Giannakaki, A. Giunta, I. Grigorov, M. Iarlori, F. Madonna, R.E. Mamouri, L. Nasti, A. Papayannis, A. Pietruczuk, M. Pujadas, V. Rizi, F. Rocadenbosch, F. Russo, F. Schnell, N. Spinelli, X. Wang, and M. Wiegner. Earlinet correlative measurements for calipso: First intercomparison results. *JOURNAL OF GEOPHYSICAL RESEARCH. ATMOSPHERES*, 115:D00H19–1–D00H19–21, 2010.
- [53] DE TOMASI F., M. Marcello MIGLIETTA, and M. Rita PERRONE. The growth of the planetary boundary layer at a coastal site: a case study. *BOUNDARY-LAYER METEOROLOGY*, 139:521–541, 2011.
- [54] M. R. Perrone, DE TOMASI F., and P. Burlizzi. Aerosol products by caliop at 532 nm and by a ground-based raman lidar at 355 nm: Intercomparison methodology. *ATMOSPHERIC RESEARCH*, 101:438–449, 2011.
- [55] M. R. Perrone, DE TOMASI F., A. Stohl, and N. I. Kristiansen. Integration of measurements and model simulations to characterize eyjafjallajokull volcanic aerosols over south-eastern italy. *ATMOSPHERIC CHEMISTRY AND PHYSICS*, 12:10001–10013, 2012.

- [56] G. Pappalardo, L. Mona, G. D'Amico, U. Wandinger, M. Adam, A. Amodeo, A. Ansmann, A. Apituley, L. Alados Arboledas, D. Balis, A. Boselli, J. A. Bravo-Aranda, A. Chaikovsky, A. Comeron, J. Cuesta, F. De Tomasi, V. Freudenthaler, M. Gausa, E. Giannakaki, H. Giehl, A. Giunta, I. Grigorov, S. Groß, M. Haeffelin, A. Hiebsch, M. Iarlori, D. Lange, H. Linné, F. Madonna, I. Mattis, R.-E. Mamouri, M. A. P. McAuliffe, V. Mitev, F. Molero, F. Navas-Guzman, D. Nicolae, A. Papayannis, M. R. Perrone, C. Pietras, A. Pietruczuk, G. Pisani, J. Preißler, M. Pujadas, V. Rizi, A. A. Ruth, J. Schmidt, F. Schnell, P. Seifert, I. Serikov, M. Sicard, V. Simeonov, N. Spinelli, K. Stebel, M. Tesche, T. Trickl, X. Wang, F. Wagner, M. Wiegner, and K. M. Wilson. Four-dimensional distribution of the 2010 eyjafjallajökull volcanic cloud over Europe observed by EARLINET. *Atmospheric Chemistry and Physics*, 13(8):4429–4450, 2013.